



Sheet 1 of 4

SUBSTITUTE FORM PTO-1449 (MODIFIED) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 CFR §1.98(b))	Attorney Docket No.	50082/015002
	Serial No.	09/976,605
	Applicant	Grant McFadden et al.
	Filing Date	October 11, 2001
	Group	1645
	IDS Filed	November 7, 2002
Customer No.	21559	

TECH CENTER 1600/2900

RECEIVED
NOV 13 2002

U.S. PATENTS

Examiner's Initials	Patent Number	Issue Date	Patentee	Class	Subclass	Filing Date (If Appropriate)
ll	5,834,419	11/10/98	McFadden et al.	-	-	

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation (Yes/No)
ll	WO 92/17583	10/15/92	PCT	-	-	
	WO 91/16431	10/31/91	PCT	-	-	
	WO 96/33730	10/31/96	PCT	-	-	
	WO 97/11714	04/03/97	PCT	-	-	
4	WO 97/44054	11/27/97	PCT	-	-	

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)

ll	Ahuja et al., "Chemokine receptors and molecular mimicry," <i>Immunol. Today</i> 15:281 (1994).
	Alcami et al., "Soluble Interferon-gamma receptors encoded by poxviruses," <i>Comp. Immunol. Microbiol. Infect. Dis.</i> 19:305 (1996).
	Alcami et al., "Vaccinia, cowpox, and camelpox viruses encode soluble gamma interferon receptors with novel broad species specificity," <i>J. Virol.</i> 69:4633 (1995).
	Alcami et al., "Receptors for gamma-interferon encoded by poxviruses: Implications for the unknown origin of vaccinia virus," <i>Trends Microbiol.</i> 4:321 (1996).
	Amano et al., "Identification and characterization of the thymidine kinase gene of Yaba virus," <i>J. of General Virology</i> 76:1109, (1995).
	Barinaga, "Viruses launch their own 'Star Wars,'" <i>Science</i> 258:1730 (1992).
	Chaudhuri et al., "Expression of the Duffy antigen in K562 cells," <i>J. Biol. Chem.</i> 269:7835 (1994).
	Elsner et al., "Eotaxin-2 activates chemotaxis-related events and release of reactive oxygen species via pertussis toxin-sensitive G proteins in human eosinophils," <i>Eur. J. Immunol.</i> 28:2152 (1998).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant



Sheet 2 of 4

SUBSTITUTE FORM PTO-1449
(MODIFIED)U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

Attorney Docket No.

50082/015002

Serial No.

09/976,605

Applicant

Grant McFadden et al.

Filing Date

October 11, 2001

Group

1645

IDS Filed

November 7, 2002

Customer No.

21559

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT
(Use several sheets if necessary)

(37 CFR §1.98(b))

NOV 13 2002

RECEIVED

TECH CENTER 1600/2900


OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)

W	Endres et al., "CD4-Independent Infection by HIV-2 is mediated by Fusin-CXCR4," <i>Cell</i> 87:745 (1996).
	Essani et al., "Multiple anti-cytokine activities secreted from tanapox virus-infected cells," <i>Microbial Pathogenesis</i> 17:347 (1994).
	Fenger et al., "Proteins of Yaba monkey tumor virus I structural proteins," <i>J. of Virol.</i> 18:757, (1976).
	Graham et al., "Myxoma virus M11L ORF encodes a protein for which cell surface localization is critical in manifestation of viral virulence," <i>Virol.</i> 191:112 (1992).
	Graham et al., "The T1-35kDa family of poxvirus-secreted proteins bind chemokines and modulate leukocyte influx into virus-infected tissues," <i>Virol.</i> 229:12 (1997).
	Hoffman et al., "Chemokine regulation of CNS T-cell infiltration in experimental autoimmune encephalomyelitis," <i>Research in Immunology</i> 149:790 (1998).
	Horuk et al., "Molecular properties of the chemokine receptor family," <i>Tips</i> 15:159 (1994).
	Hu et al., "Cowpox virus contains two copies of an early gene encoding a soluble secreted form of the type II TNF receptor," <i>Virol.</i> 204:343 (1994).
	Knight et al., "Studies on tanapox virus," <i>Virol.</i> 172:116 (1989).
	Kotwal et al., "Regulation of cytokine secretion by poxvirus encoded proteins," <i>Adv. In Exp. Med. and Biol.</i> 351:187, eds. Lindley, Westelck, and Kunkel, Plenum Press, NY (1992).
	Lee et al., "The genome sequence of Yaba-like disease virus, a yatapoxvirus," <i>Virol.</i> 281:170 (2001)
	Lomas et al., "Inhibition of plasmin, urokinase, tissue plasminogen activator, and C _{1s} by a myxoma virus serine proteinase inhibitor," <i>J. Biol. Chem.</i> 268:516 (1993).
	Macen et al., "SERP1, a serine proteinase inhibitor encoded by myxoma virus, is a secreted glycoprotein that interferes with inflammation," <i>Virol.</i> 195:348 (1993).
	McFadden, "Rabbit, hare, squirrel and swine poxviruses," <i>Encyclopedia of Virology</i> pp. 1153-1160 (1997).
	McFadden et al., "Myxoma T2 proteins as a model for poxvirus TNF receptor homologs," <i>J. of Neuroimmunology</i> 72:119 (1997).
	McFadden et al., "Interruption of cytokine networks by poxviruses: lessons from myxoma virus," <i>J. Leukocyte Biol.</i> 57:731 (1995).
	Mossman et al., "Myxoma virus M-T7, a secreted homolog of the interferon-gamma receptor, is a critical virulence factor for the development of myxomatosis in European rabbits," <i>Virol.</i> 215:17 (1996).
	Mossman et al., "The myxoma virus-soluble interferon-gamma receptor homolog, M-T7, inhibits interferon-gamma in a species specific manner," <i>J. Biol. Chem.</i> 270:3031 (1995).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant



TECH CENTER 1600/2900

NOV 1 3 2002

RECEIVED

Sheet 3 of 4

SUBSTITUTE FORM PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		Attorney Docket No.	50082/015002
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 CFR §1.98(b))				Serial No.	09/976,605
				Applicant	Grant McFadden et al.
				Filing Date	October 11, 2001
				Group	1645
				IDS Filed	November 7, 2002
				Customer No.	21559
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)					
40	Mossman et al., "Species specificity of ectromella virus and vaccinia virus interferon-gamma binding proteins," <i>Virology</i> 208:762 (1995).				
1	Mossman et al., "Interferon- γ receptors encoded by poxviruses," <i>Viroreceptors, Virokines And Related Immune Modulators Encoded by DNA Viruses</i> pp. 41-54. Ed: McFadden, R.G. Landers Co. (1994).				
	Neote et al., "Molecular cloning, functional expression, and signaling characteristics of a C-C chemokine receptor," <i>Cell</i> 72:415 (1993).				
	Neurath et al., "Search for Hepatitis B virus cell receptors reveals binding sites for interleukin 6 on the virus envelope protein," <i>J. Exp. Med.</i> 175:461 (1992).				
	Olsen et al., "Immunodiffusion analysis of Yaba poxvirus structural and associated antigens," <i>J. of Virology</i> 5:212, (1970).				
	Oppenorth et al., "Deletion of the growth factor gene related to EGF and TGF α reduces virulence of malignant rabbit fibroma virus," <i>Virology</i> 186:175 (1992).				
	Oppenorth et al., "Deletion analysis of two tandemly arranged virulence genes in myxoma virus, M11L and myxoma growth factor," <i>J. Virology</i> 66:4720 (1992).				
	Oppenorth et al., "Transforming growth factor alpha, Shope fibroma growth factor, and vaccinia growth factor can replace myxoma growth factor in the induction of myxomatosis in rabbits," <i>Virology</i> 192:701 (1993).				
-	Paulose et al., "Selective inhibition of TNF- α induced cell adhesion molecule gene expression by tanapox virus," <i>Microbial Pathogenesis</i> 25:33 (1998).				
	Powell et al., "An I-kappa-B homolog encoded by African swine fever virus provides a novel mechanism for downregulation of proinflammatory cytokine responses in host macrophages," <i>J. Virology</i> 70:8527 (1996).				
	Schreiber et al., "The myxoma virus TNF-receptor homologue (T2) inhibits tumor necrosis factor-alpha in a species-specific fashion," <i>Virology</i> 204:692 (1994).				
	Sedger et al., "M-T2: A poxvirus TNF receptor homologue with dual activities," <i>Immunology and Cell Biology</i> 74:538 (1996).				
	Smith et al., "T2 open reading frame from the Shope fibroma virus encodes a soluble form of the TNF receptor," <i>Biochem. Biophys. Res. Commun.</i> 176:335 (1991).				
	Smith, "Virus proteins that bind cytokines, chemokines or interferons," <i>Curr. Opin. Immunology</i> 8:467 (1996).				
	Symons et al., "Vaccinia virus encodes a soluble type I Interferon receptor of novel structure and broad species specificity," <i>Cell</i> 81:551 (1995).				
	Trkola et al., "CD4-dependent, antibody-sensitive interactions between HIV-1 and its co-receptor CCR-5," <i>Nature</i> 384:184 (1996).				
	Upton et al., "Tumorigenic poxviruses: genomic organization and DNA sequence of the telomeric region of the Shope fibroma virus genome," <i>Virology</i> 160:20 (1987).				
	Upton et al., "Myxoma virus expresses a secreted protein with homology to the tumor necrosis factor receptor gene family that contributes to viral virulence," <i>Virology</i> 184:370 (1991).				
	Upton et al., "Encoding of a homolog of the IFN-gamma receptor by myxoma virus," <i>Science</i> 258:1369 (1992).				
4	Upton et al., "Mapping and sequence of a gene from myxoma virus that is related to those encoding epidermal growth factor and transforming growth factor alpha," <i>J. Virology</i> 61:1271 (1987).				
EXAMINER <i>[Signature]</i>		DATE CONSIDERED <i>7/10/02</i>			
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant					



RECEIVED
NOV 13 2002
ECHO CENTER 1600/2900

Sheet 4 of 4

SUBSTITUTE FORM PTO-1449
(MODIFIED)

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT
(Use several sheets if necessary)

(37 C.F.R. §1.98(b))

Attorney Docket No.

50082/015002

Serial No.

09/976,605

Applicant

Grant McFadden et al.

Filing Date

October 11, 2001

Group

1645

IDS Filed

November 7, 2002

Customer No.

21559

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)

ku	Upton et al., "Myxoma virus and malignant rabbit fibroma virus encode a serpin-like protein important for virus virulence," <i>Virology</i> 179:618 (1990).
↓	Upton et al., "Detection of viral homologs of cellular Interferon gamma receptors," <i>Methods in Molecular Genetics</i> 4:383 (1994).
↓	Wu et al., "CD4-induced interaction of primary HIV-1 gp120 glycoproteins with the chemokine receptor CCR-5," <i>Nature</i> 384:179 (1996).
EXAMINER	DATE CONSIDERED
ku	7/10/03
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	